

GERMAN FILM
FOR STRETCH CEILINGS

TEQTUM

TEQTUM GmbH




TEQTUM

BRAND IDEOLOGY

By combining advanced experience of German technologists and the best European chemists, Teqtum GmbH developed a unique material for stretch ceilings under the TEQTUM brand.

TEQTUM:

- German quality
- Fire safety
- Environmental friendliness
- Counterfeit protection



TEQTUM EURO

Premium German film for
stretch ceilings.


Accommodation material with
the fire safety class Bs1d0
according to DIN En13501.

TEQTUM EURO

SUPPLY GEOGRAPHY


Today, Teqtum Euro is presented in Germany, Poland, Belarus, Ukraine, Lithuania, Latvia, Kazakhstan and the USA.

In a three-year term: Europe, Turkey, Azerbaijan, Central Asia, the United Arab Emirates, Brazil and Argentina.



TEQTUM EURO

TEQTUM EURO - FIRE-PROOF FILM FOR STRETCH CEILINGS



TEQTUM EURO FILM DOESN'T SUPPORT COMBUSTION!

Material was tested according to European Standard EN-13501-1.

What does it mean?

Combustibility: Class euro B, option 1 – Flame-free material.

Smoke formation: Subclass S1 – moderate amount of smoke.

Formation of burning droplets: Subclass D0 – is not formed.

TEQTUM EURO

GERMAN FILM WITH CONFIRMED CERTIFICATION

TEQTUM EURO is the only material in the world of up to 5 meters wide that successfully passed complex tests and gained the right to be marked with the CE mark (European Conformity).



SGS INSTITUT FRESENIUS GmbH Postfach 1261 • 63229 Taunstein

TEQTUM GmbH
Stuttgart HRB 770170
Oberer Kirchberg 10/1,
74613 Öhringen

Taunstein, 09/03/2021

Lu Chen
Customer Service Consultant
Tel.: +49 6128 744-610, Fax: +49 6128 744-534
Lu.Chen1@sgs.com
Connectivity & Products
Non Food

DAKKS
Deutscher
Accreditations- und
Zertifizierungsstellenverband
DIN EN ISO 17025

Prüfbericht Nr. 5189664
Prüfbericht-Version < 1 >

Original Probe Nr.	Probenbeschreibung	Probeneingang
210183710	PVC Folie, Teqtum Euro	25/02/2021

Allgemeine Angaben

SGS-Kundennr.	: 10196145
SGS-Kundenauftrag	: 5677879
Auftragsverteilung	: 12/02/2021
Prüfzeitraum	: 28/02/2021 – 03/03/2021
Bestell-Nr.	: -
Prüfungsfang	: Prüfung nach Kundenvorgabe

Beurteilung

Prüfanforderungen	bestanden
Die für die geprüften Parameter nachgewiesenen Gehalte liegen für alle untersuchten Teilproben unterhalb der zitierten Grenz- und Orientierungswerte	

SGS INSTITUT FRESENIUS GmbH
Dieser Prüfbericht wurde elektronisch erstellt und freigegeben:

Datum	Name	Funktion	Abteilung
09.03.2021	I.A. Sebastian Malsam	Customer Service Assistent	Connectivity & Products
09.03.2021	I.A. Lu Chen	Customer Service Consultant	Connectivity & Products Non Food

Seite: page 1 / 7

SGS INSTITUT FRESENIUS GmbH | Im Mittel 14 • D-63229 Taunstein | +49 6128 744 - 0 | +49 6128 744 - 133 | www.institut-fresenius.sgs-group.de
Member of the SGS Group (Global Service & Support Center)

Alle Daten/Ergebnisse sind die alleinige Verantwortung der SGS, die auf Anfrage zur Verfügung gestellt werden, während die Verantwortlichkeit und die Einhaltung aller Vorschriften und Richtlinien für Prüfergebnisse sowie deren Interpretation und Anwendung ausschließlich dem Auftraggeber zugeordnet sind. Die SGS ist nicht für die Genauigkeit der Daten, die von den Kunden oder Lieferanten, die die SGS anfragen, bereitgestellt werden, verantwortlich. Die SGS ist nicht für die Genauigkeit der Daten, die von den Kunden oder Lieferanten, die die SGS anfragen, bereitgestellt werden, verantwortlich.

MPA Braunschweig, Beethovenstr. 52, 38106 Braunschweig

Zertifikat der Leistungsbeständigkeit
0761 – CPR – 1017

In Übereinstimmung mit der Verordnung 305/2011/EU des Europäischen Parlaments und des Rats vom 9. März 2011 (Bauproduktenverordnung / CPR) gilt dieses Zertifikat für das Bauprodukt

Spanndecke
„Teqtum Euro weiß 7 329, 7 153“
erzeugt von oder für
Teqtum GmbH
Sonnenhalde 16
74613 Öhringen
am Herstellungsort
Werk 1.

Dieses Zertifikat bestätigt, dass alle Bestimmungen zur Bewertung und Überprüfung der Leistungsbeständigkeit, beschrieben im Anhang ZA der Norm
EN 14716:2004
unter System 1 für die Leistung, die in diesem Zertifikat angegeben ist, eingehalten werden und dass die werkseigene Produktionskontrolle durch den Hersteller durchgeführt wird, um die Leistungsbeständigkeit des Bauproduktes sicherzustellen.

Dieses Zertifikat wurde erstmals am 30.06.2021 ausgestellt. Es gilt längstens bis zum 29.06.2026, solange weder die harmonisierte Spezifikation, das Bauprodukt, die AVCP-Methoden noch die Produktionsbedingungen im Werk wesentlich geändert werden oder die Produktzertifizierungsstelle die Gültigkeit des Zertifikats aussetzt oder es zurückzieht.

Braunschweig, den 30.06.2020
Z-3/1554/21

Dr.-Ing. W. Hinrichs
Stellv. Leiter der Zertifizierungsstelle

SGS INSTITUT FRESENIUS GmbH Postfach 1261 • 63229 Taunstein

TEQTUM GmbH
Oberer Kirchberg 10/1,
74613 Öhringen

Taunstein, 09/03/2021

Lu Chen
Customer Service Consultant
Tel.: +49 6128 744-594, Fax: +49 6128 744-534
Lu.Chen1@sgs.com
Connectivity & Products
C&P Non Food - E&E

DAKKS
Deutscher
Accreditations- und
Zertifizierungsstellenverband
DIN EN ISO 17025

Prüfbericht / Test Report Nr. / No. 5215601 25/03/2021 Seite / Page 1 / 6

Allgemeine Angaben / General Information

SGS-Kundennr. / SGS Client's ID	: 10197009
SGS-Auftragsnr. / SGS Job No.	: 5694578
Auftragsverteilung / Ordering Date	: 08/03/2021
Typ / Type	:
Artikel-Nr. / Item No.	:
Probeneingang / Sample Receipt Date	: 10/03/2021
Prüfzeitraum / Testing Period	: 10/03/2021 – 25/03/2021
Prüfungsfang / Analytical Scope	: nach Kundenvorgabe / according to client's requirements

Proben-Nr. / Sample No. **Probenbezeichnung / Sample description**

Originalprobe / Original sample:	Teqtum PVC Folie Spanndecken
210242316	
Teilprobe (ID.) / Subsample (ID.)	Folie / fol. Kunststoff / plastic, weiß / white
210261877 (1)	

Prüfanfrage / Test Request

Untersuchung gemäß Richtlinie 2011/65/EU (RoHS)
Analysis according to Directive 2011/65/EU (RoHS)

Beurteilung : Basierend auf den durchgeführten Tests der eingereichten Probe(n) entsprechen die Testergebnisse für Blei, Quecksilber, Cadmium, sechswertiges Chrom, Polybrominierte Biphenyle (PBB), Polybrominierte Diphenylether (PBDE), Bis(2-ethylhexyl)-phthalat (DEHP), Butylbenzylphthalat (BBP), Dibutylphthalat (DBP) und Diisobutylphthalat (DIBP) den Anforderungen der Richtlinie 2011/65/EU, Anhang 2.

Based on the performed tests on submitted sample(s), the test results of Lead, Mercury, Cadmium, hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP), and Diisobutyl phthalate (DIBP) comply with the requirements as set by Directive 2011/65/EU, Annex 2.

SGS INSTITUT FRESENIUS GmbH
Dieser Prüfbericht wurde elektronisch erstellt und freigegeben / This test report was electronically created and released:

Datum / date	Name / name	Funktion / function	Abteilung / department
25.03.2021	I.A. Michael Dom	Project Assistent	C & P Connectivity / Technology
28.03.2021	I.A. Tomislav Krolo	Customer Service Consultant	Connectivity & Products

Seite: page 1 / 6


SGS INSTITUT FRESENIUS GmbH | Im Mittel 14 • D-63229 Taunstein | +49 6128 744 - 0 | +49 6128 744 - 133 | www.institut-fresenius.sgs-group.de
Member of the SGS Group (Global Service & Support Center)

Alle Daten/Ergebnisse sind die alleinige Verantwortung der SGS, die auf Anfrage zur Verfügung gestellt werden, während die Verantwortlichkeit und die Einhaltung aller Vorschriften und Richtlinien für Prüfergebnisse sowie deren Interpretation und Anwendung ausschließlich dem Auftraggeber zugeordnet sind. Die SGS ist nicht für die Genauigkeit der Daten, die von den Kunden oder Lieferanten, die die SGS anfragen, bereitgestellt werden, verantwortlich. Die SGS ist nicht für die Genauigkeit der Daten, die von den Kunden oder Lieferanten, die die SGS anfragen, bereitgestellt werden, verantwortlich.


TEQTUM EURO – ECOLOGICAL MATERIAL

Teqtum Euro is certified according to 5 European safety standards, including the directive *Child Safety Standard*, which means that the material is absolutely safe for children:

- EN 71-3 – Child safety standard
- REACH – European Regulation of Chemical Turnover
- RoHS – Restriction of the use of Hazardous Substances
- A+ - French Ecological Standard, restricting volatile emission
- EN 14716 – Stretch ceilings, Requirements and methods of testing. Comprehensive standard for obtaining the right to be marked with CE.



TEQTUM EURO



TECHNOLOGY POWERMATT

Innovative manufacturing technology Matt Film developed by Teqtum GmbH

Technology POWERMATT -

- Minimum gloss of the matte surface
- Maximum similarity with “plastered” surface

TEQTUM EURO

DESIGN FILM PRODUCED ACCORDING TO COLOR TRENDS 2021



Unique PVC film for stretch ceilings which conforms to the generally accepted RAL scale.

RAL is the world's most popular and colorful standard developed in Germany.

RAL 075 85 10
Seerosenweiß
Water lily white

RAL 095 93 05
Kreppseidenweiß
Crepe silk white

RAL 095 90 10
Atlasweiß
Atlas white

RAL 000 40 00
Dunkelgrau
Dark grey

RAL 000 55 00
Mittelgrau
Medium grey

RAL 000 85 00
Schattenweiß
Shadow white

BEIGE

– the most relevant color as a base, both in cold and warm shades.

RAL 080 80 30
Gelbbeige
Yellow beige

RAL 070 85 20
Sandelholzbeige
Sandalwood beige

RAL 080 90 20
Macadamiabeige
Macadamia beige

RAL 110 96 02
Waschweiß
Laundry white

RAL 050 20 16
Nachtbraun
Night brown

RAL 000 15 00
Tintenschwarz
Ink black

CLASSIC GREY

– presented in three versions: graphite, cold grey, light grey

YELLOW-BEIGE

– fashionable shades according to the color of the year 2021


TRADITIONAL

White, brown, black

TEQTUM EURO

UNIQUE COUNTERFEIT PROTECTION SYSTEM

- Safety data sheet for each ready-made ceiling with a unique number which can be checked at the manufacturer's website.
- Safety markings on the edge along the entire surface.
- Special UV marking on the inside of the canvas.



TEQTUM EURO

PRODUCT DISTRIBUTION POLICY

Teqtum GmbH is a responsible participant in the stretch ceiling market. We strive to create an efficient and profitable sales system for our products.

Having extensive sales experience and analyzing the current market performance, Teqtum GmbH recommends a retail price for TEQTUM EURO and a certain level of customer service standards for each region.



TEQTUM EURO

PRICE POLICY

Teqtum Euro is a balance between the price and consumer value.

TEQTUM EURO has the recommended dealer and retail price for each region.

The pricing system allows each participant in the sales chain to make profit.

Strict control of the recommended prices avoids dumping by any of the participants in the sales chain.



TEQTUM EURO

ADVANTAGES OF TEQTUM EURO FOR DEALERS

1 By selling TEQTUM EURO, each member of the sales chain earns more than by selling a regular film.

2 **BONUS PROGRAM**

System of additional motivation of measuring staff (competitions, direct financial motivation for work done)



3 **ONGOING TRAINING OF RETAILERS**

(measuring staff, sales managers)
Teqtum GmbH developed a system of training for the employees of distributors, measuring staff, which includes:

- Technological features of TEQTUM EURO
- Sales tools
- Objection technology


4 **EXCLUSIVITY OF SUPPLY**

Teqtum Euro canvases can be distributed to a limited number of dealers with high standards of customer service.

MARKETING SUPPORT

To create and develop an informed and loyal audience,
Teqtum GmbH provides high-quality and regular
marketing support to distributors and dealers


TEQTUM



CATALOGS

The TEQTUM EURO sample catalog contains a basic range of films by texture and color:

The catalog is presented by modern and wear-resistant materials. TEQTUM EURO film samples are of sufficient size suitable for convenient demonstration, comparison or selection of color combinations when making an order.




TEQTUM



PRODUCT PRESENTATION

Electronic presentation about Teqtum GmbH and the TEQTUM film

Materials are available in electronic form as layouts adapted for printing reproduction.



VIDEO ABOUT THE COMPANY


Teqtum GmbH prepared video materials about the TEQTUM EURO canvases, which were adapted for European partners.



EXCLUSIVE BRANDED PACKAGING

All TEQTUM EURO ceilings are delivered in specialized packaging, one side of which is transparent and the other side of which contains brand information.


TEQTUM



**ORGANIZATION
OF FORUMS
AND MASTER
CLASSES
TOGETHER
WITH PARTNERS**



TEQTUM



www.teqtum.com

